<del></del>		T		
L Number		Search Text	DB	Time stamp
2	1	(US-6418542-\$).did. ((US-6418542-\$).did.) and (information or	USPAT USPAT	2002/08/21 16:28 2002/08/21 16:28
_	3	data) Carlson-Michael.in.		0000/00/15 00 00
_	3	Carison-michael.in.	USPAT; US-PGPUB;	2002/08/15 10:49
			EPO; JPO;	
			DERWENT;	
_	3	data adj process\$4) and (poll\$4 with	IBM_TDB USPAT;	2002/00/15 15 00
	3	thread) and (thread with active) and	US-PGPUB;	2002/08/15 15:08
		(thread with clean\$4)	EPO; JPO;	
			DERWENT;	
_	3	(data adj process\$4) and (poll\$4 with	IBM_TDB USPAT;	2002/08/15 10:58
		thread) and (thread with active) and	US-PGPUB;	2002,00,10 10.50
		(thread with clean\$4) and (status or	EPO; JPO;	
		information)	DERWENT; IBM TDB	
_	3	(data adj process\$4) and (poll\$4 with	USPAT;	2002/08/15 10:58
		thread) and (thread with active) and	US-PGPUB;	
		(thread with clean\$4) and ((status or information) same active)	EPO; JPO; DERWENT;	
		Internacion, same accive,	IBM TDB	
-	0	(data adj process\$4) and (poll\$4 with	USPAT;	2002/08/15 10:59
		thread) and (thread with active) and (thread with clean\$4) and ((status or	US-PGPUB;	
		information) same active) and (determin\$6	EPO; JPO; DERWENT;	
		with active)	IBM TDB	
-	1	(data adj process\$4) and (poll\$4 with	USPAT;	2002/08/15 11:00
		thread) and (thread with active) and (thread with clean\$4) and ((status or	US-PGPUB; EPO; JPO;	
		information) same active) and ((determin\$6	DERWENT;	
ļ		or respon\$7) with active)	IBM_TDB	
-	12	<pre>(determin\$4 with thread with active) and (thread with clean\$4)</pre>	USPAT;	2002/08/15 15:18
		(thread with Cleans4)	US-PGPUB; EPO; JPO;	
			DERWENT;	
i	9	//dahamia04	IBM_TDB	
-	9	((determin\$4 with thread with active) and (thread~with clean\$4)) and @ad<=19990610	USPAT; US-PGPUB;	2002/08/15 15:10
İ		(miroda with ordanyi), and (da(=15550010	EPO; JPO;	
			DERWENT;	
_	0	(fails with determin\$4 adj3 thread with	IBM_TDB USPAT;	2002/08/15 15:15
	"	active)	US-PGPUB;	2002/06/13 13:15
			EPO; JPO;	
			DERWENT;	
-	30	(determin\$4 adj3 thread with active)	IBM_TDB USPAT;	2002/08/15 15:15
			US-PGPUB;	111, 10, 10 10, 10
			EPO; JPO;	
			DERWENT; IBM TDB	
-	25	((determin\$4 adj3 thread with active) )	USPĀT;	2002/08/15 15:15
		and @ad<=19990610	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	·
-	2	(determin\$4 with thread with active) same	USPĀT;	2002/08/15 15:20
		(thread with clean\$4)	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	27	(thread with active) same (thread with	USPĀT;	2002/08/15 15:20
	İ	clean\$4)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	

-	23	((thread with active) same (thread with clean\$4)) and @ad<=19990610	USPAT; US-PGPUB;	2002/08/15 15:24
			EPO; JPO; DERWENT; IBM TDB	
-	0	respon\$7 with absence with thread with active with clean\$7	USPAT; US-PGPUB; EPO; JPO;	2002/08/15 15:25
_	0	respon\$7 with absence with thread with	DERWENT; IBM_TDB USPAT;	2002/08/15 15:25
		active same clean\$7	US-PGPUB; EPO; JPO; DERWENT;	
-	0	respon\$7 with absence with thread with active	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/15 15:25
	57	respon\$7 with thread with active	DERWENT; IBM_TDB USPAT;	2002/00/15 15.26
	3,	respons / with thread with active	US-PGPUB; EPO; JPO; DERWENT;	2002/08/15 15:26
_	46	(respon\$7 with thread with active ) and @ad<=19990610	IBM_TDB USPAT; US-PGPUB;	2002/08/15 15:29
_	0	(clean\$7 adj3 thread) same (thread adj4	EPO; JPO; DERWENT; IBM_TDB USPAT;	2002/08/15 15:30
		active)	US-PGPUB; EPO; JPO; DERWENT;	
-	27	(clean\$7 with thread) same (thread with active)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/15 15:30
_	23	((clean\$7 with thread) same (thread with active)) and @ad<=19990610	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/15 16:30
-	22834	status adj information	IBM_TDB USPAT; US-PGPUB;	2002/08/15 16:30
	1510		EPO; JPO; DERWENT; IBM_TDB	0000/00/45 45 00
	1519	(status adj information) with (receiv\$4 and stor\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2002/08/15 16:32
-	1268	((status adj information) with (receiv\$4 and stor\$4)) and @ad<=19990610	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2002/08/15 16:32
-	175	(status adj information) with (receiv\$4	DERWENT; IBM_TDB USPAT;	2002/08/15 16:36
		and stor\$4) with respon\$5	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	0	(status adj information) with (receiv\$4 and stor\$4) with respon\$5 with thread	USPĀT; US-PGPUB; EPO; JPO;	2002/08/15 16:34
			DERWENT; IBM_TDB	

-	158	1 ( = = = = = = = = = = = = = = = = = =	USPAT;	2002/08/15 16:35
		and stor\$4) with respon\$5) and   @ad<=19990610	US-PGPUB;	
		640<=13330610	EPO; JPO; DERWENT;	
			IBM TDB	
-	3	(status adj information) with (receiv\$4	USPAT;	2002/08/17 19:02
		and stor\$4) with thread	US-PGPUB;	
·			EPO; JPO;	
			DERWENT;	
_	1	((status adj information) with (receiv\$4	IBM_TDB	2002/00/12 10 01
-	1	and stor\$4) with thread) and @ad<=19990610	USPAT; US-PGPUB;	2002/08/17 19:01
		and scorpy, with thread, and ead-19990010	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	(	USPAT;	2002/08/17 19:06
		with thread with stor\$5))	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
i	0	((status adj information) with ((receiv\$4	USPAT;	2002/08/17 19:06
		with thread with stor\$5))) and	US-PGPUB;	2002,00,27
		@ad<=19990610	EPO; JPO;	
1	1		DERWENT;	
_	120	/information on data) with //www.info	IBM_TDB	0000/00/15 10 55
-	138	(information or data) with ((receiv\$4 with thread with stor\$5))	USPAT; US-PGPUB;	2002/08/17 19:12
		Curear Arch Scots 2//	EPO; JPO;	
	-		DERWENT;	
			IBM TDB	
-	109	1 , , , , , , , , , , , , , , , , , , ,	USPAT;	2002/08/17 19:09
		with thread with stor\$5))) and thread and	US-PGPUB;	
		@ad<=19990610	EPO; JPO;	
			DERWENT; IBM TDB	
_	109	(information or data) with ((receiv\$4 with	USPAT;	2002/08/17 19:23
		thread with stor\$5)) and @ad<=19990610	US-PGPUB;	2002/00/17 15.25
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	((information or data) with ((receiv\$4 with thread with stor\$5)) and	USPAT;	2002/08/17 19:24
		@ad<=19990610) and (thread with printer)	US-PGPUB; EPO; JPO;	
		and (thread with video)	DERWENT;	
			IBM TDB	
-	414	((information or data) with ((receiv\$4	USPAT;	2002/08/17 19:24
		with thread with stor\$5)) and	US-PGPUB;	
		@ad<=19990610) and (thread with printer)	EPO; JPO;	
		or (thread with video)	DERWENT; IBM TDB	
_	0	((information or data) with ((receiv\$4	USPAT;	2002/08/17 19:25
		with thread with stor\$5)) and	US-PGPUB;	
		@ad<=19990610) and (thread with printer)	EPO; JPO;	
		and (virtual adj machine)	DERWENT;	
			IBM_TDB	0000/05/55
-	2	((information or data) with ((receiv\$4 with thread with stor\$5)) and	USPAT;	2002/08/17 19:25
		@ad<=19990610) and (virtual adj machine)	US-PGPUB; EPO; JPO;	
		taa 19990010, and (viitual au) macmine)	DERWENT;	
			IBM TDB	
-	2	((information or data) with ((receiv\$4	USPĀT;	2002/08/17 19:29
		with thread with stor\$5)) and	US-PGPUB;	
		@ad<=19990610) and (thread with printer)	EPO; JPO;	
			DERWENT;	
_	17420	respons\$5 with receiv\$5 with stor\$5 with	IBM_TDB USPAT;	2002/08/17 20:28
	1,120	(information or data)	US-PGPUB;	2002/00/1/ 20:28
			EPO; JPO;	
	-		DERWENT;	
			IBM_TDB	

-	15100	(respons\$5 with receiv\$5 with stor\$5 with (information or data)) and @ad<=19990610	USPAT; US-PGPUB;	2002/08/17 19:34
		(2002)	EPO; JPO;	
			DERWENT;	
		44	IBM_TDB	
-	0	1 ( the property of the property of the property with	USPAT;	2002/08/17 19:32
		(information or data)) and @ad<=19990610) and (thread with (first adj class))	US-PGPUB; EPO; JPO;	
		did (thread with (1113t ad) class))	DERWENT;	
			IBM TDB	
-	0	((respons\$5 with receiv\$5 with stor\$5 with	USPAT;	2002/08/17 19:33
		(information or data)) and @ad<=19990610)	US-PGPUB;	
		and (identif\$5 with (active adj thread))	EPO; JPO;	
1			DERWENT; IBM TDB	
-	13	((respons\$5 with receiv\$5 with stor\$5 with	USPAT;	2002/08/17 19:34
		(information or data)) and @ad<=19990610)	US-PGPUB;	
		and ((virtual adj machine) with java)	EPO; JPO;	
			DERWENT;	
_	0	(printer adj thread) and (video adj	IBM_TDB USPAT;	2002/08/17 20:31
1		thread)	US-PGPUB;	2002/08/17 20:31
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	\F======= \land \land \viaco \day	USPAT;	2002/08/17 20:31
		thread)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	(1	USPAT;	2002/08/17 20:31
		thread)	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	11	(printer adj thread)	USPAT;	2002/08/17 20:33
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	10	(printer near3 thread) and (data adj	IBM_TDB USPAT;	2002/08/17 20:33
		processing)	US-PGPUB;	2002/00/17 20:55
			EPO; JPO;	
			DERWENT;	
_	10	((printer near3 thread) and (data adj	IBM_TDB USPAT;	2002/00/10 00:44
		processing)) and @ad<=19990610	US-PGPUB;	2002/08/19 09:44
			EPO; JPO;	
			DERWENT;	
_	3.0	//midaa maan2 hhussall	IBM_TDB	
-	36	((video near3 thread) and (data adj processing)) and @ad<=19990610	USPAT; US-PGPUB;	2002/08/19 09:45
[			EPO; JPO;	
	İ		DERWENT;	
] ]			IBM_TDB	
-	1	((video adj thread) and (data adj	USPĀT;	2002/08/19 09:45
		processing)) and @ad<=19990610	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	5	, , , , , , , , , , , , , , , , , , , ,	USPĀT;	2002/08/20 15:18
		US-5305455-\$).did. or	US-PGPUB;	
		(US-20010056457-\$).did. or (JP-11353132-\$).did.	JPO	
-	1	((US-6418542-\$ or US-6182142-\$ or	USPAT	2002/08/20 15:18
		US-5305455-\$).did. or		
		(US-20010056457-\$).did. or		
		(JP-11353132-\$).did.) and (priority or		
L		class)		

Page 4

-	1	((US-6418542-\$ or US-6182142-\$ or	USPAT	2002/08/20 15:21
		US-5305455-\$).did. or		
	1	(US-20010056457-\$).did. or		
	i	(JP-11353132-\$).did.) and (priority or		
1_		class)   ((US-6418542-\$ or US-6182142-\$ or	HCDAT	2002/08/20 15:24
-	· ·	US-5305455-\$).did. or	USPAT	2002/08/20 15:24
ł		(US-20010056457-\$).did. or		
		(JP-11353132-\$).did.) and (thread with		
		(class or priority))		
_	499		USPAT;	2002/08/20 15:26
			US-PGPUB;	2002, 00, 20 20 20
	ĺ		EPO; JPO;	
}	<b>[</b>		DERWENT;	
			IBM_TDB	
-	14	thread with (first adj class)	USPAT;	2002/08/20 15:26
			US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
1	14	(thread with (first adj class)) and	IBM_TDB USPAT;	2002/08/20 16:11
	1 14	@ad<=19990610	US-PGPUB;	2002/08/20 16:11
		6444-15550010	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2	((thread with (first adj class)) and	USPAT;	2002/08/20 15:29
		@ad<=19990610) and (event with (error or	US-PGPUB;	
	i	time))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	262	active adj thread	USPAT;	2002/08/20 16:12
			US-PGPUB;	]
			EPO; JPO;	l
			DERWENT; IBM TDB	
_	174712	identif\$ and terminat\$	USPAT;	2002/08/20 16:13
ĺ	1/4/12	Identity and telminary	US-PGPUB;	2002/08/20 16:13
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0		USPAT;	2002/08/20 16:15
		with thread)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	4	identific with //achine and investigation	IBM_TDB	0000 (00 (00 15 05
-	4	identif\$6 with ((active and inactive) with thread)	USPAT;	2002/08/20 16:36
		circad)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	(identif\$6 with ((active and inactive)	USPAT;	2002/08/20 16:18
		<pre>with thread)) and terminat\$</pre>	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	/	IBM_TDB	
-	0	(reset\$5 near3 resource) with (inactive	USPAT;	2002/08/20 16:37
		adj thread) with reallocat\$6	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	ا م	(reset\$5 with resource) with (inactive adj	IBM_TDB USPAT;	2002/08/20 16:37
	ĭ	thread) with reallocat\$6	US-PGPUB;	2002/00/20 10:3/
			EPO; JPO;	
	i		DERWENT;	
]			IBM TDB	
-	7	(US-6418542-\$ or US-6182142-\$ or	USPAT;	2002/08/20 17:51
		US-5305455-\$ or US-5745703-\$ or	US-PGPUB;	
		US-6233599-\$).did. or	JPO	
	ŀ	(US-20010056457-\$).did. or		
		(JP-11353132-\$).did.		

|--|--|

-	332315	((US-6418542-\$ or US-6182142-\$ or	USPAT	2002/08/20 17:52
	į.	US-5305455-\$ or US-5745703-\$ or		
		US-6233599-\$).did. or		
ĺ		(US-20010056457-\$).did. or		
		(JP-11353132-\$).did.) and (period with		1
		time) or error		
-	5	((US-6418542-\$ or US-6182142-\$ or	USPAT	2002/08/20 17:58
		US-5305455-\$ or US-5745703-\$ or		
		US-6233599-\$).did. or		
		(US-20010056457-\$).did. or		
	İ	(JP-11353132-\$).did.) and ((period with		
		time) or error)	•	
-	2	((US-6418542-\$ or US-6182142-\$ or	USPAT	2002/08/20 17:58
		US-5305455-\$ or US-5745703-\$ or		
		US-6233599-\$).did. or	ŀ	
		(US-20010056457-\$).did. or		
		(JP-11353132-\$).did.) and (period with		
		time)		